1 of 10

Inspect Minnesota & Midwest Soil Testing

P.O. Box 383 Hugo, MN	Brian Humpal						
651-492-7550/Brian@midwes	MPCA Licensed Advanced Inspector						
SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT							
Date: February 14, 2017	Time: 12:00 PM	1 Owner: Kurt Becker					
Inspection Address: 2563 Trading Post Trl S, Afton, MN Site Conditions: 4" Snow 12" Frost							

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system, have reviewed the history of the system with the owner, Kurt Becker, and have reviewed the original design/permit records on file at Washington County. This system consists of two pre-cast septic tanks and a chamber trench drainfield.

Predicated on my inspection of the system, my review of the history of the system with the owner, and my review of the original design/permit records, it is my opinion that this system presently meets MPCA minimum compliance inspection requirements.

Inspect Minnesota and Midwest Soil Testing have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Inspect Minnesota and Midwest Soil Testing disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Brian Humpal Brian Humpal

Minnesota Pollution Control Agency 520 Lafayette Road North St. Paul, MN 55155-4194

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

Instructions: Inspection results based on Minnesota Pollution Control Agency (MPC	CA)
requirements and attached forms – additional local requirements may also apply.	

Submit completed form to Local Unit of Government (LUG) and system owner within 15 days

System Status

System status on date (mm/dd/yyyy): 2/14/2017

Compliant – Certificate of Compliance

(Valid for 3 years from report date, unless shorter time frame outlined in Local Ordinance.)

Noncompliant – Notice of Noncompliance

For local tracking purposes:

(See Upgrade Requirements on page 3)

Reason(s) for noncompliance (check all applicable)

□ Impact on Public Health (Compliance Component #1) – Imminent threat to public health and safety

Other Compliance Conditions (Compliance Component #3) – Imminent threat to public health and safety

Tank Integrity (Compliance Component #2) – Failing to protect groundwater

Other Compliance Conditions (Compliance Component #3) – Failing to protect groundwater

Soil Separation (Compliance Component #4) – Failing to protect groundwater

Operating permit/monitoring plan requirements (Compliance Component #5) – Noncompliant

Property Information

Parcel ID# or Sec/Twp/Range:

Property address: 256	3 Trading Post Trl S, Afton, MN 55001	Reason for inspection: <u>Property Sale</u>
Property owner: Kurt E	Becker	Owner's phone: 651-219-0913
or		
Owner's representative:		Representative phone:
Local regulatory authority	/: _ Washington County	Regulatory authority phone: _ 651-430-4052
Brief system description:	Two pre-cast septic tanks and a chambe	r trench drainfield.
Commonts or recommon	dations:	

Comments or recommendations:

Certification

I hereby certify that all the necessary information has been gathered to determine the compliance status of this system. No determination of future system performance has been nor can be made due to unknown conditions during system construction, possible abuse of the system, inadequate maintenance, or future water usage.

Inspector name:	Brian Humpal	Certification number:	L5342
Business name:	Inspect Minnesota, Midwest Soil Testing	License number:	L2896
Inspector signature	: Brian Humpol	Phone number:	651-492-7550

Necessary or Locally Required Attachments

Soil boring logs System/As-built drawing Forms per local ordinance Other information (list): Report Summary, Property Information, Disclaimer, License

2 of 10

1. Impact on Public Health – Compliance component #1 of 5

Compliance criteria:	
System discharge sewage to the ground surface.	🗌 Yes 🖾 No
System discharge sewage to drain tile or surface waters.	🗌 Yes 🖾 No
System cause sewage backup into dwelling or establishment.	🗌 Yes 🖾 No
Any "yea" anawar abaya indiaata	a tha avatam ia

Any "yes" answer above indicates the system is an Imminent Threat to Public Health and Safety.

Comments/Explanation:

None of the above found.

Verification method(s):

- Searched for surface outlet
- Searched for seeping in yard/backup in home
- Excessive ponding in soil system/D-boxes
- Homeowner testimony (See Comments/Explanation)
- "Black soil" above soil dispersal system
- System requires "emergency" pumping
- Performed dye test
- Unable to verify (See Comments/Explanation)
- Other methods not listed (See Comments/Explanation)

2. Tank Integrity – Compliance component #2 of 5

Compliance criteria:

System consists of a seepage pit, cesspool, drywell, or leaching pit.	🗌 Yes	🛛 No
Seepage pits meeting 7080.2550 may be compliant if allowed in local ordinance.		
Sewage tank(s) leak below their designed operating depth.	🗌 Yes	🛛 No
If yes, which sewage tank(s) leaks:		

Any "yes" answer above indicates the system is Failing to Protect Groundwater.

Comments/Explanation:

Lowered underwater camera into tanks - baffles and tank walls OK.

Verification method(s):

- Probed tank(s) bottom
 Examined construction records
 Examined Tank Integrity Form (Attach)
 Observed liquid level below operating depth
 Examined empty (pumped) tanks(s)
- Probed outside tank(s) for "black soil"
- Unable to verify (See Comments/Explanation)
- Other methods not listed (See Comments/Explanation)

3. Other Compliance Conditions – Compliance component #3 of 5

a.	Maintenance hole covers are damaged, cracked, unsecured, or appear to structurally unsound.	□ Yes*	🛛 No	Unknown
~				

b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety. ☐ Yes* ⊠ No ☐ Unknown *System is an imminent threat to public health and safety

Explain:

C.	System is non-protective of ground water for other conditions as determined by inspector	□ Yes*	🛛 No
	*System is failing to protect groundwater		

Explain:

4. Soil Separation – Compliance component #4 of 5

Shoreland/Wellhead protection/Food Beverage .odging? Compliance criteria:	🛛 Yes	□ No	Soil observation does not evolve P				
Compliance criteria:			Soil observation does not expire. Previous soil observations by two independent parties are sufficie				
			unless site conditions have been altered or local				
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, peverage or lodging establishment:	🗌 Yes	🗌 No	 requirements differ. Conducted soil observation(s) (Attach boring Two previous verifications (Attach boring logs Not applicable (Holding tank(s), no drainfield) 				
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.			 Unable to verify (See Comments/Explanation) Other (See Comments/Explanation) Comments/Explanation: 				
Non-performance systems built April 1, 1996, or later or for non-performance systems located in Shoreland or Wellhead Protection Areas or serving a food, peverage, or lodging establishment:	🛛 Yes	🗌 No					
Drainfield has a three-foot vertical separation distance from periodically saturated soil or bedrock.*							
Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV	Yes	🗌 No	Indicate depths of elevations				
or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector icense required)			A. Bottom of distribution media	See Attache Boring Log(s			
Drainfield meets the designed vertical			B. Periodically saturated soil/bedrock				
separation distance from periodically saturated soil or bedrock.			C. System separation				
			D. Required compliance separation*				
Any "no" answer above indicates Failing to Protect Groundwater.	the syste	em is	*May be reduced up to 15 percent Ordinance.	if allowed by Loca			
Operating Permit and Nitrogen	B MP* – C	ompliance	component #5 of 5 🛛 🛛 Not app	olicable			
the system operated under an Operating Pe	ermit?	🗌 Yes 🛛	No If "yes", A below is required				
the system required to employ a Nitrogen B	MP?	🗌 Yes 🛛					
BMP=Best Management Practice(s) spec	ified in the	system desig	gn				
the answer to both questions is "no"			-				

a.	Operating Permit number: Have the Operating Permit requirements been met?	🗌 Yes 🗌 No
b.	Is the required nitrogen BMP in place and properly functioning?	🗌 Yes 🗌 No

Any "no" answer indicates Noncompliance.

Upgrade Requirements (*Minn. Stat.* § 115.55) *An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.*

Inspect Minnesota & Midwest Soil Testing

Subsurface Sewage Treatment System Owner/Property Information


This information will be used for the purpose of conducting an MPCA Compliance Inspection.

Date of Inspection: February 14, 2017	Time: 12:00 PM							
Property Address: 2563 Trading Post Trl S, Afton, MN	Zip: 55001							
Property Owner: Kurt Becker	Phone: 651-219-0913							
Tank(s) Tank(s)Material Soil Treatment Septic 2 Fiberglass Rock trench Aerobic Plastic Gravelless tr Lift Metal Chamber tre Holding Concrete Seepage bed Other: Block Mound Other At-grade	Alternative system rench Experimental system nch Cesspool system							
Are the tank maintenance covers accessible? \boxtimes Yes \square is performed through the maintenance holes. Maintenance holes the ground surface to facilitate access and proper mainten	nole covers should be made accessible to							
Year house built: 1890 Year septic installed: 2008								
How long has seller owned the property? 2008 Num	ber of residents in home? 5							
Number of bedrooms? 3 Are all floors drain	ned by gravity? Y							
	ool bath? N							
More than one system (laundry, etc.)? N								
Does this property have any footing drain tiles connected	to the septic system? N							
	Are any buildings on this property such as garages or out-buildings connected to this system? N Are there any additional systems on this property serving other buildings? N							
Leastion of gamtic system on 1st? West Side								
Location of septic system on lot? West Side Location of water well on lot?	Is the well a deep well? V							
Location of water well on lot?Is the well a deep well? YHave you ever experienced any problems with the system such as: tree roots, sewage back-ups, surfacing of sewage onto the ground, septic tank overflowing, etc.; or have any repairs been made to the system? N If yes, explain:								
	e of pumper: Pinky's Sewer Service							
	ls system on a monitoring plan? N							
Have you received notices from any government agency of								
Is your property located in a shoreland management area?								
Do you have any additional information that should be give	ven to the new owner? N							

I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing.

Owner/Occupant: Kurt Becker's Signature On File

Date: 2/14/2017



7 of 10

OSTP Soil Observation Log

University



of Mi	NNESOT	A	7211	5 2011 U	bserv	ation	LOg	Project ID:			
Cli	Client/ Address: 2563 Trading Post TR S							Legal Description/ GPS: 16.028.20.42.0005			
Soil parent material(s): (Check all that apply) 🔽 Outwash 🔲 Lacustrine 🗌 Loess 🔲 Till 🗌 Alluvium 🔲 Bedrock							rock 🗌 Orga	anic Matter			
Landscape P	osition: (check	k one)] Summi	t 🔽 Shoulder	Back/	Side Slope	🗌 Foot Slope	Toe Slope	Slope shape	Slope shape LL	
Vegetation							ert Loamy Coarse and, 3-15%	Slope%		Elevation:	812
Weather Cor	nditions/Time	of Day:		•		PM/Sunny		•	Date	0	5/19/08
Observatio	on #/Location:			County Verifi	cation Obse	ervation		Obse	ervation Type:	🗹 Auger 🗌	Probe 🗌 Pit
Depth (in)	Texture	Rock Frag.	Mat	rix Color(s)	Mottle	Color(s)	Redox Kind(s)	Indicator(s)	ļ	Structure	
		%				00101(0)			Shape	Grade	Consistence
0-9	Fine Sandy Loam		10YR3/2						Blocky	Moderate	Friable
9-58	Fine Sandy Loam		1	10YR4/4					Blocky	Moderate	Friable
58-84 Sand		1	10YR4/4					Granular	Weak	Loose	
			•	erior Lobe Glacial		·					
-	ify that I have Chris LeClair	•	nis work	in accordance	with all app	licable ordir	nances, rules and	laws.	C6836		5/19/2008
(Co	ounty Inspecto	nr)	·	(Signature)					(License #)	·	(Date)

Job: 2563 Trading P Date: 03-17-08	ost Kailso Afg	LOG OF SOIL BORINGS	160 2820420	2005
B-5	-		, <u>,</u>	
Depth in Fest	B1	B2	B3	B4
Black Loan Topsoil	Davil brow a SAUDY Locan Topsoil	Davk browd SANOG LOEM	Dark brown fine SAN on Locan Topsoil	Derk bronn fine SANDY
e		Topsoil		Loom
Red bonn	fine SAND	Red brown.	Red brown SANDY Silt	10-2+3/3 16
SANDysilt	2.5yr 3/4	SANDY Silt Loam	Loam	Back red brown SANDY Silt
Loam 2 5yr4/3	red brown	5yr 4/3 33	59-4/3	Loam 2.54+3/4 30
3	frin SAND		t 	Red brown
	5yr 4/3	Dark Red brews medium to coarse SAWD 2. Syr 3/4	fini SAND Syr 4/3 46	fine SAND 5yr 4/3
48	4			+ 0,
		, 53	Light red binn medium SAND	54
	5 Light red brow	Red Brown Coarse SAND Syry/3 int	syrs/3	
	medium sano	Redbrown	restricture 60"	Egravel Syrs/3 16
	5yr 5/3	medium SAND Syr5/3		restrictua
				~ ¢ ¢ ¢
	7	4	=	
	the second secon			

.

From: TODD FEATHERSTONE To: wash co fax

•

Date: 5/1/2008 Time: 3:39:06 PM

то • • Page 3 of 7

. **``)**

ŕ)

8 of 10 .

٠

)

.

DISCLAIMER

Brian L. Humpal, Inc. dba. Inspect Minnesota, Midwest Soil Testing

Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

Subsurface Sewage Treatment Systems <u>Non-transferable</u> Business License

Inspect Minnesota, Midwest Soil Testing

License # L2896

License Expires: 12/22/2017

Issued: 11/29/2016

Specialty Area(s): Installer Maintainer Service Provider Advanced Designer Advanced Inspector

Designated Certified Individual(s):

Cert #	Name	Certification Expires:		
C5342	Brian L Humpal	ian L Humpal 10/15/2017 taller, Maintainer, Serv Prov, Adv Designer, Adv Inspector		
C9852	Christopher R Uebe	3/4/2018		
C9052	Designer, Inspector	5/4/2016		



Minnesota Pollution Control Agency

520 Lafayette Road North St. Paul, Minnesota 55155-4194

Steven Giddings, Manager Prevention and Solid Waste Management Section