

520 Lafayette Road North St. Paul, MN 55155-4194

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

Inspection results based on Minnesota Poliution Control Agency (MPCA)	For local tracking purposes:
requirements and attached forms - additional local requirements may also app	oly.
Submit completed form to Local Unit of Government (LUG) and system within 15 days	owner
System Status	
System Status	
System status on date (mm/dd/yyyy): 5/2/2017	
-	ncompliant - Notice of Noncompliance e Upgrade Requirements on page 3.)
Reason(s) for noncompliance (check all applicable)	
☐ Impact on Public Health (Compliance Component #1) – Imminent threat to	o public health and safety
☐ Other Compliance Conditions (Compliance Component #3) – Im.	· ·
☐ Tank Integrity (Compliance Component #2) - Failing to protect g	roundwater
Other Compliance Conditions (Compliance Component #3) – Fa	
☐ Soil Separation (Compliance Component #4) – Failing to protect	_
☐ Operating permit/monitoring plan requirements (Compliance Cor	mponent #5) – Noncompliant
	•
Property Information	T /D 00 000 00 11 0001
- · · · · · · · · · · · · · · · · · · ·	/Twp/Range: 33.029.20.11.0001
Property address: 14937 10 th St N, Stillwater, MN 55082	Reason for inspection: property sale
Property owner: Roger & Lorraine Quast or	Owner's phone:
Owner's representative: Donna J Osterkamp	Representative phone: 651-982-1644
Local regulatory authority: Washington County	Regulatory authority phone: _651-430-6673
Brief system description: Cesspool / drywell, both of block construction	
Comments or recommendations:	
	·
Certification	
I hereby certify that all the necessary information has been gathered to deter determination of future system performance has been nor can be made due possible abuse of the system, inadequate maintenance, or future water usag	to unknown conditions during system construction,
Inspector name: Tom Trooien	Certification number: 323
Business name: All State Septic Services LLC	License number: 1568
Inspector signature: 700 700	Phone number: 612-594-4496
Niconomic and applied Described Association	
Necessary or Locally Required Attachments	
☐ Soil boring logs ☐ System/As-built drawing ☐ F☐ Other information (list):	Forms per local ordinance

Compliance criteria:		Verification method(s):
System discharges sewage to the ground surface.	☐ Yes ☒ No	Searched for surface outlet
		Searched for seeping in yard/backup in home
System discharges sewage to drain tile or surface waters.	☐ Yes ☒ No	Excessive ponding in soil system/D-boxes
System causes sewage backup into	☐ Yes ☒ No	 ☐ Homeowner testimony (See Comments/Explanation) ☐ "Black soil" above soil dispersal system
dwelling or establishment.		System requires "emergency" pumping
Any "yes" answer above ind	licates the	☐ Performed dye test
system is an imminent threat to public health and safety.		☐ Unable to verify (See Comments/Explanation)
		☐ Other methods not listed (See Comments/Explanation)
Comments/Explanation:		
	•	
•		_A
Tank Integrity - Compliance	component #2 of 5	
Compliance criteria:		Verification method(s):
System consists of a seepage pit,	⊠ Yes □ No	☑ Probed tank(s) bottom
cesspool, drywell, or leaching pit.		Examined construction records
Seepage pits meeting 7080.2550 may be		Examined Tank Integrity Form (Attach)
compliant if allowed in local ordinance.		Observed liquid level below operating depth
Sewage tank(s) leak below their designed operating depth.	☐ Yes ☐ No	☐ Examined empty (pumped) tanks(s)
If yes, which sewage tank(s) leaks:		☐ Probed outside tank(s) for "black soil"
Any "yes" answer above ind	icates the	☐ Unable to verify (See Comments/Explanation)
system is failing to protect g		☐ Other methods not listed (See Comments/Explanation)
Comments/Explanation:		•
•		
		•
Other Compliance Condition	ns – Compliance com	ponent #3 of 5
		d, or appear to be structurally unsound. ☐ Yes* ☒ No ☐ Unkn
*System is an imminent threat to	, to minediately and adve o <i>public health and safe</i>	ersely impact public health or safety.
Explain:	-	· .
•		
c. System is non-protective of ground	d water for other condition	is as determined by inspector . ☐ Yes* ☒ No
*System is failing to protect gro		· · · - · · ·
Explain:		
Explain.		

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • TTY 651-282-5332 or 800-657-3864 • Available in alternative formats wg-wwists4-31b • 6/4/14 Page 2 of 3

perty address: 14937 10th St N, Stillwater	, MN <u>55082</u>	Inspector initials/Date: TT 5/2/2017
		(mm/dd/yyyy)
Soil Separation - Compliance c	omponent #4 of 5	·
ate of installation: 1968 (mm/dd/yyyy)	Unknown	Verification method(s):
oreland/Wellhead protection/Food beverage lging?	☐ Yes No	Soil observation does not expire. Previous soil observations by two independent parties are sufficient, unless site conditions have been altered or local requirements differ.
ompliance criteria:	☐ Yes ☐ No	
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food, beverage or lodging establishment:		☐ Conducted soil observation(s) (Attach boring logs) ☐ Two previous verifications (Attach boring logs)
		☐ Not applicable (Holding tank(s), no drainfield)
ainfield has at least a two-foot vertical paration distance from periodically		Unable to verify (See Comments/Explanation)
turated soil or bedrock.		Other (See Comments/Explanation)
on-performance systems built April 1,	☐ Yes ☒ No	Comments/Explanation:
1996, or later or for non-performance		Cesspool / drywell system, no drainfield.
stems located in Shoreland or Wellhead otection Areas or serving a food,		
verage, or lodging establishment:		
rainfield has a three-foot vertical		
paration distance from periodically turated soil or bedrock.*		
Experimental", "Other", or "Performance" ystems built under pre-2008 Rules; Type IV r V systems built under 2008 Rules (7080. 350 or 7080.2400 (Advanced Inspector	☐ Yes ☐ No	Indicate depths or elevations
		A. Bottom of distribution media
cense required)		B. Periodically saturated soil/bedrock
rainfield meets the designed vertical eparation distance from periodically aturated soil or bedrock.		C. System separation
		G. Gjotshi Gjotshi
	<u> </u>	D. Required compliance separation*
ny "no" answer above indicates illing to protect groundwater.	the system is	*May be reduced up to 15 percent if allowed by Local Ordinance.
Operating Permit and Nitroge	n BMP* – Complia	nce component #5 of 5 🔀 Not applicable
Is the system operated under an Operatin	g Permit?	s 🗵 No If "yes", A below is required
is the system required to employ a Nitrog	en BMP? 🔲 Ye	es 🖾 No If "yes", B below is required
BMP = Best Management Practice(s,		n design
-	-	
If the answer to both augetions is "		to the stank to be activities
If the answer to both questions is '	, 470 000000	
If the answer to both questions is ' Compliance criteria		
-		□ Yes □ No
Compliance criteria		☐ Yes ☐ No
Compliance criteria a. Operating Permit number: n/a	nents been met?	

Upgrade Requirements (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • TTY 651-282-5332 or 800-657-3864 • Available in alternative formats war-wwists4-31b • 6/4/14

14937 10 EL ST. N STILLWATER, MN 55082 5-2-17