Inspect Minnesota & Midwest Soil Testing

P.O. Box 10853 White Bear Lake, MN 55110 651-492-7550/Brian@Midwestsoiltesting.com

Brian Humpal

MPCA Licensed Advanced Inspector

SUBSURFACE SEWAGE TREATMENT SYSTEM (SSTS) COMPLIANCE REPORT

Date: June 13, 2017 **Time:** 2:15 PM **Owner:** Jerome & Gina Seipel

Inspection Address: 13115 4th St N, West Lakeland, MN 55082

REPORT SUMMARY

I have performed an "MPCA Compliance Inspection" on this system have reviewed the history of the system with the owner, Gina Seipel, and have reviewed a previous compliance inspection. I have contacted Washington County and was advised that there are no records for this system. This system consists of a pre-cast septic tank and a rock trench drainfield.

Predicated on my inspection of the system, my review of the previous compliance inspection, and my review of the history of the system with the owner, it is my opinion that this system <u>presently meets</u> MPCA minimum compliance inspection requirements.

Inspect Minnesota and Midwest Soil Testing have been hired to perform a compliance inspection of this SSTS for compliance with local ordinances pursuant to Minn. Stat. § 115.55 (2013). This compliance inspection covers only the criteria required by Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011). A compliance inspection is an indication of the current compliance status of the system and does not guarantee the performance or longevity of this system beyond the date of inspection, as it is impossible to determine the future performance of any system. Inspect Minnesota and Midwest Soil Testing disclaim any use of this compliance inspection beyond determining SSTS compliance pursuant to Minn. Stat. § 115.55 Subd. 5a (2013) and Minn. R. 7080.1500 (2011).

Please contact me should you have any questions.

Brian Humpal
Brian Humpal



Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

	Boo Type. Compilatee and Emoreoment
Instructions: Inspection results based on Minnesota Pollution Control Agency requirements and attached forms – additional local requirements may also apple	
Submit completed form to Local Unit of Government (LUG) and system within 15 days	owner
System Status	
System status on date (mm/dd/yyyy): 6/13/2017	
	Noncompliant – Notice of Noncompliance (See Upgrade Requirements on page 3)
Reason(s) for noncompliance (check all applicable) Impact on Public Health (Compliance Component #1) – Imminer Other Compliance Conditions (Compliance Component #3) – Imm Tank Integrity (Compliance Component #2) – Failing to protect good Other Compliance Conditions (Compliance Component #3) – Failing Soil Separation (Compliance Component #4) – Failing to protect to Operating permit/monitoring plan requirements (Compliance Compliance Compliance Component #4)	ninent threat to public health and safety roundwater ling to protect groundwater groundwater
Property Information Parcel ID# or Sec/	Twn/Range:
	Reason for inspection: Property Transfer
	Owner's phone: 612-402-7166
	Representative phone:
Local regulatory authority: Washington County Brief system description: A pre-cast septic tank, a rock trench drainfield Comments or recommendations:	Regulatory authority phone: 651-430-4052
Certification I hereby certify that all the necessary information has been gathered to determination of future system performance has been nor can be made due to possible abuse of the system, inadequate maintenance, or future water usage	o unknown conditions during system construction,
Inspector name: Brian Humpal	Certification number: _L5342
Business name: Inspect Minnesota, Midwest Soil Testing	License number:L2896
Inspector signature: Brian Humpal	Phone number: 651-492-7550
Necessary or Locally Required Attachments	
	orms per local ordinance
☐ Other information (list): Report Summary, Property Information, Discl	·

1.	lm	npact on Public Health – Cor	mpliance compone	ent #1 of 5			
	Compliance criteria:			Verification method(s):			
		rstem discharge sewage to the bund surface.	☐ Yes ⊠ No	☑ Searched for surface outlet☑ Searched for seeping in yard/backup in home			
		stem discharge sewage to drain tile surface waters.	☐ Yes ⊠ No	 ☑ Excessive ponding in soil system/D-boxes ☐ Homeowner testimony (See Comments/Explanation) 			
		rstem cause sewage backup into relling or establishment.	☐ Yes ⊠ No	"Black soil" above soil dispersal systemSystem requires "emergency" pumpingPerformed dye test			
	Any "yes" answer above indicates the system is an Imminent Threat to Public Health and Safety.			 ☐ Unable to verify (See Comments/Explanation) ☑ Other methods not listed (See Comments/Explanation) 			
		omments/Explanation: one of the above					
2.	Ta	ank Integrity — Compliance con	nponent #2 of 5				
	Co	ompliance criteria:	T	Verification method(s):			
		stem consists of a seepage pit,	☐ Yes ⊠ No	☐ Probed tank(s) bottom			
		sspool, drywell, or leaching pit. epage pits meeting 7080.2550 may be		Examined construction recordsExamined Tank Integrity Form (Attach)			
		mpliant if allowed in local ordinance.		Observed liquid level below operating depth			
		ewage tank(s) leak below their signed operating depth.	☐ Yes ⊠ No				
		/es, which sewage tank(s) leaks:		Probed outside tank(s) for "black soil"			
	Any "yes" answer above indicates the system is Failing to Protect Groundwater.			 ☐ Unable to verify (See Comments/Explanation) ☑ Other methods not listed (See Comments/Explanation) 			
	Сс	Comments/Explanation:					
	Lo	wered underwater camera into tank -	baffles and tank wall	s OK			
3.	01	ther Compliance Conditions	5 – Compliance co	mponent #3 of 5			
	a.	Maintenance hole covers are damage	d, cracked, unsecure	d, or appear to structurally unsound. ☐ Yes* ☒ No ☐ Unknown			
	b.	Other issues (electrical hazards, etc.) to i *System is an imminent threat to pu	-	ersely impact public health or safety.			
		Explain:					
	C.	System is non-protective of ground wa *System is failing to protect ground		ns as determined by inspector ☐ Yes* ☒ No			
		Explain:					

Property address: 13115 4th St N, West Lakeland Twp, MN 55082

Inspector initials/Date: 06/13/2017

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 Page 3Toff%51-282-5332 or 800-657-3864 • Available in alternative formats wq-wwists4-31 • 1/24/12 Page 2 of 3

Date of installation: 1986	Unkr	nown	Ve	erification method(s):		
Shoreland/Wellhead protection/Food Beverage Lodging?	☐ Yes	⊠ No			bservation does not expire. Previous soil vations by two independent parties are sufficient, s site conditions have been altered or local	
Compliance criteria:						
		П No	re	quirements differ.		
not located in Shoreland or Wellhead Protection Area or not serving a food,			Conducted soil observation(s)			
beverage or lodging establishment:				Two previous verifications (Atta Not applicable (Holding tank(s), n		
Drainfield has at least a two-foot vertical				Unable to verify (See Comments/Explanation)		
separation distance from periodically saturated soil or bedrock.				Other (See Comments/Explanation	n)	
Non-performance systems built April 1,	☐ Yes	□No	Co	omments/Explanation:		
1996, or later or for non-performance systems located in Shoreland or Wellhead				eviewed previous compliance inse	epction	
Protection Areas or serving a food,						
beverage, or lodging establishment:						
Drainfield has a three-foot vertical separation distance from periodically						
saturated soil or bedrock.*						
"Experimental", "Other", or "Performance"	☐ Yes ☐ No	П №	ln	dicate depths of elevations		
systems built under pre-2008 Rules; Type IV				dicate deptile of elevations	See Attached	
or V systems built under 2008 Rules (7080. 2350 or 7080.2400 (Advanced Inspector			Α.	Bottom of distribution media	Boring Log(s)	
License required)			R	Periodically saturated soil/bedrock		
Drainfield meets the designed vertical separation distance from periodically			C. System separation			
saturated soil or bedrock.						
Any "no" answer above indicates the	e syste	em is		Required compliance separation*	f allowed by Legal	
				May be reduced up to 15 percent i Ordinance.	f allowed by Local	
Operating Permit and Nitrogen BM	1P* – C	Compliance	comp	ponent #5 of 5 🛮 🗵 Not app	licable	
Is the system operated under an Operating Permit?						
Is the system required to employ a Nitrogen BMP?						
				If the answer to both questions is "no", to	his sec	tion does
Compliance criteria						
a. Operating Permit number: Have the Operating Permit requirements been met?						
		☐ Yes ☐ No				
Have the Operating Permit requirements be	een met					

discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

Upgrade Requirements (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use

www.pca.state.mn.us • wq-wwists4-31 • 1/24/12 Page 3 of 3

Property address: 13115 4th St N, West Lakeland Twp, MN 55082

Inspector initials/Date: 06/13/2017

Inspect Minnesota & Midwest Soil Testing


Subsurface Sewage Treatment System Owner/Property Information

This information will be used for the purpose of conducting an MPCA Compliance Inspection.

Date of Inspection: June 13, 2017	Time: 2:15 PM					
Property Address: 13115 4 th St, West Lakeland, MN	Zip: 55082					
Property Owner: Jerome and Gina Seipel	Phone: 612-402-7166					
Tank(s) Tank(s)Material Soil Treatment System Septic 1 Fiberglass Rock trench Aerobic Plastic Gravelless trench Lift Metal Chamber trench Holding Concrete Seepage bed Other: Block Mound Other Mat-grade Are the tank maintenance covers accessible? Yes No *I performed through the maintenance holes. Maintenance hole co the ground surface to facilitate access and proper maintenance of	Other Alternative system Experimental system Cesspool system Other system f no, proper maintenance must be evers should be made accessible to					
Year house built: 1986 Year septic installed: 1986	Tank size (gals.): 1500					
	residents in home? 4					
Number of bedrooms? 4 Are all floors drained by						
Garbage disposal? N Whirlpool bath	1? IN					
More than one system (laundry, etc.)? N Does this property have any footing drain tiles connected to the	vantia avatam? N					
Does this property have any rooting drain thes connected to the	septic system? N					
Are any buildings on this property such as garages or out-buildings connected to this system? N						
Are there any additional systems on this property serving other buildings? N						
Location of septic system on lot? S						
	ne well a deep well? Y					
Have you ever experienced any problems with the system such as: tree roots, sewage back-ups,						
surfacing of sewage onto the ground, septic tank overflowing, etc.; or have any repairs been made						
to the system? N If yes, explain:						
When was the system last pumped? 6/7/17 Name of pu	mper: Meyer's					
How often pumped in previous years? Every 3 years						
Have you received notices from any government agency concerning this system? N						
Is your property located in a shoreland management area? N						
Do you have any additional information that should be given to the new owner? N						

I hereby certify that the above information is correct to the best of my knowledge. I also understand that if the system is considered "non-compliant/failing" per MPCA rules, that the inspector must by law submit a copy of this report to the local government unit within 15 days of the date of inspection completion. I also agree that unless otherwise noted in this report, that I/we are ultimately responsible for payment of all fees for all work performed relative to this inspection by Inspect Minnesota and Midwest Soil Testing.

Owner/Occupant: Gina Seipel Date: 06/13/2017



Log Of Soil Borings

Location of Project: 13115 4th St, West Lakeland, MN 55082					
	ings Made By:	Inspect Minnesota	•	Date:	6/13/17
Auger Used: Hand/Bucket			Classi	ification System:	USDA
Вс	ring Number:	1		Boring Number:	
Surface Same ground surface as last		Surface Elevation Boring			
Depth In Inches	Soils E	ncountered	Depth In Inches	Soils Er	ncountered
0-8 8-17 17-32 32-44 44-63 63-72 72-80	10YR 3/3 L DYR 2/2 Sandy I 10YR 3/3 10YR 3/4 Lo 10YR 4/4 10YR 4/4	my Fine Sand (Fill) coamy Sand (Fill) Loam (Original Topsoil) S Sandy Loam amy Sand (moist) Medium Sand Medium Sand nellae Banding			
80" Depth To End Of Boring Or Redox		Depth To End Of Boring Or Redox			
Same Elevation Of Boring Relative To System		Elevation Of Boring Relative To System			
-47" Depth To Bottom Of Distribution Media				of Distribution Media	
≥33" Of Separation			Of Separation		
Fn	d Of Boring At:	80"		End Of Boring At:	
	dox Present At:	None		Redox Present At:	
	ater Present At:	None	Standing	Water Present At:	

Bottom Of Distribution Medium At:	47 inches

DISCLAIMER

Brian L. Humpal, Inc. dba. Inspect Minnesota, Midwest Soil Testing Relative to Subsurface Sewage Treatment System (SSTS) Compliance Inspections

- 1. This inspection/report is being performed for only the seller/owner of the property on which the SSTS is located. In such case that another party is paying for the inspection, the contract is between only said party and Brian L. Humpal, Inc.; there is no contract between Brian L. Humpal, Inc. and any other party unless otherwise noted.
- 3. Brian L. Humpal, Inc. has not been retained to warranty, guarantee, or certify the proper functioning of the SSTS for any period of time beyond the date of inspection or into the future. Because of the numerous factors (usage, maintenance, soil characteristics, previous failures, etc.) which may affect the proper operation of an SSTS, as well as the inability of Brian L. Humpal, Inc. to supervise or monitor the use or maintenance of the SSTS, the report shall not be construed as a warranty by Brian L. Humpal, Inc. that the SSTS will function properly for any particular party for any period of time.
- 4. Brian L. Humpal, Inc. is unable to verify the frequency and/or, quality of prior or future maintenance of the SSTS. Maintenance of the tank(s) must be performed through the tanks maintenance hole. The removal of solids from any location other than the maintenance hole is not a compliant method of maintenance. It is strongly recommended that maintenance covers be made accessible to the ground surface to facilitate proper maintenance.
- 5. Minimum Compliance Inspection requirements relative to this inspection and this report include <u>only</u> verification that the SSTS has tank(s) (septic tanks, lift tanks, dosing tanks, stilling tanks, etc.) which are watertight below the designed operating depth, the required separation between the bottom of the subsurface soil distribution medium and seasonally saturated soils, no back-ups of sewage into the dwelling, no discharge of sewage/effluent to the ground surface or surface waters, and no imminent safety hazards. Brian L. Humpal, Inc. does not inspect plumbing or pumps prior to the first SSTS component as these are plumbing components. The performance of exterior pumps and associated components are not inspected as they are considered to be maintenance items. Additionally, no indications relative to compliance with electrical code requirements have been made. It is recommended that any other applicable plumbing, electrical, housing, etc. inspections be performed by a qualified inspection business. Sewage back-up verification is limited to observing the floor drain area and/or the information supplied by the last occupants of the building prior to inspection. Brian L. Humpal, Inc. cannot guarantee that the information given to them by the last occupants of the building prior to inspection relative to back-ups is accurate.
- 4. Certification of this SSTS does not warranty future use beyond the date of the inspection. Any SSTS, old or new, can become hydraulically overloaded or discharge sewage/effluent to the ground surface as a result of more people moving into the house than were previously occupying the house, improper maintenance, heavy usage, leaking plumbing fixtures, groundwater infiltration, tree roots, freezing conditions, surface drainage problems, poor initial design, poor construction practices, or unsuitable materials used in constructing the system; the system can also simply stop working because of its age. An SSTS that has been properly designed and installed, properly maintained, and used in the manner for which the system was designed can be expected to provide service for twenty to twenty-five years on average. Some parts of the SSTS such as alarms, switches, pumps, filters, etc. will most likely have to be repaired or replaced over the lifetime of the system.
- 5. A Compliance Inspection is not meant to be a test or inspection for longevity of the system; a Compliance Inspection is strictly for the purpose of determining if the SSTS is protective of public health and safety, as well as the groundwater at the date and time the inspection was performed. This inspection is not intended to determine if the SSTS was originally designed or installed to past or present MPCA or other Local Government Unit code requirements. This inspection is not intended to determine if the SSTS was designed and/or installed to support the anticipated flow from the building as the use of the building may have changed since the design and construction of the SSTS due to the addition of bedrooms, occupants, etc. In addition, this inspection is not intended to determine the quality of the original SSTS design, the quality of the construction practices used while installing the SSTS, or the quality of the materials used in constructing the SSTS.
- 6. Brian L. Humpal, Inc. cannot guarantee the performance of SSTS products/components such as: gravelless pipe, chamber trenches, effluent filters, tanks, sewage pre-treatment components, piping, etc. Products such as gravelless pipe are no longer approved for installation in the State of Minnesota and may have a significantly reduced performance and/or life expectancy.
- 7. WINTER WORK: By accepting this report, it is understood that inspections conducted during winter months (approximately November 1st through April 1st) are more difficult to perform because of possible snow cover and/or ground frost. SSTS components such as tanks, maintenance covers, tank inspection pipes, subsurface distribution medium inspection pipes, and soil treatment areas are more difficult or impossible to locate due to snow cover and/or ground frost. In addition, soil borings are more difficult to perform due to snow cover and/or ground frost. Brian L. Humpal, Inc. will attempt to use the same level of standards when performing work during winter periods as when performing work during non-winter periods. However, the recipient of this report understands that because of the aforementioned considerations, the same level of standards may not be possible.
- 8. By accepting this report, the client understands that Brian L. Humpal, Inc. will not be responsible for any monetary damages exceeding the fee for the services provided.

Subsurface Sewage Treatment Systems



Business License

Inspect Minnesota, Midwest Soil Testing

License # L2896

License Expires: 12/22/2017

Issued: 11/29/2016

Specialty Area(s):

Installer
Maintainer
Service Provider
Advanced Designer
Advanced Inspector

Designated Certified Individual(s):

Cert #

Name

Certification Expires:

C5342

Brian L Humpal

10/15/2017

Installer, Maintainer, Serv Prov, Adv Designer, Adv Inspector

C9852

Christopher R Uebe

3/4/2018

Designer, Inspector



St. Paul, Minnesota 55155-4194

Steven Giddings, Manager

Prevention and Solid Waste Management Section