

## **Compliance Inspection Form**

**Existing Subsurface Sewage Treatment Systems (SSTS)** 

Doc Type: Compliance and Enforcement

Inspection results based on Minnesota Pollution Control Agency (MPCA) requirements and attached forms – additional local requirements may also app	For local tracking purposes: ply.
Submit completed form to Local Unit of Government (LUG) and system within 15 days	n owner
System Status	
System status on date (mm/dd/yyyy): 6/23/2017	
	oncompliant - Notice of Noncompliance be Upgrade Requirements on page 3.)
Reason(s) for noncompliance (check all applicable)  Impact on Public Health (Compliance Component #1) – Imminent threat to Other Compliance Conditions (Compliance Component #3) – In  Tank Integrity (Compliance Component #2) – Failing to protect to Other Compliance Conditions (Compliance Component #3) – Failing to protect Soil Separation (Compliance Component #4) – Failing to protect Operating permit/monitoring plan requirements (Compliance Component #4)	nminent threat to public health and safety groundwater alling to protect groundwater at groundwater
Property Information Parcel ID# or Sec	c/Twp/Range: _02.030.21.14.0003
Property address: 11589 Lansing Ave N Stillwater, MN 55082	Reason for inspection: property sale
Property owner: Gordon & Beverly Erickson	Owner's phone:
or	074.044.4470
Owner's representative: Clark Nyberg, Coldwell Banker Burnet Realty	•
Local regulatory authority: Washington County	Regulatory authority phone: 651-430-6673
Brief system description: 1200 gallon septic tank (estimated) & gravity, re Comments of recommendations:	ock trench drainfield
Commence of recommendations.	
Certification	
I hereby certify that all the necessary information has been gathered to dete determination of future system performance has been nor can be made due possible abuse of the system, inadequate maintenance, or future water usa	to unknown conditions during system construction,
Inspector name: Tom Troolen	Certification number: 323
Business name: All State Septic Services LLC	License number: 1568
Inspector signature: 70x 7/10-	Phone number: 612-594-4496
Necessary or Locally Required Attachments	
Soil boring logs	Forms per local ordinance
Other information (list):	

Co	empliance criteria:		Verification method(s):
	stem discharges sewage to the	☐ Yes ⊠ No	Searched for surface outlet
Sy	ound surface. stem discharges sewage to drain or surface waters.	☐ Yes ⊠ No	Searched for seeping in yard/backup in home     Excessive ponding in soil system/D-boxes     Items are protections as (2) → 2.     Searched for seeping in yard/backup in home     Items are protections as (2) → 2.     Items are protections as (2) → 2.     Items are protections as (2) → 3.     Items are protections as (2) → 3.
	stem causes sewage backup into reliing or establishment.	☐ Yes ☒ No	☐ "Black soil" above soil dispersal system
sy	Any "yes" answer above indicates the system is an imminent threat to public health and safety.		<ul> <li>☐ System requires "emergency" pumping</li> <li>☐ Performed dye test</li> <li>☐ Unable to verify (See Comments/Explanation)</li> <li>☐ Other methods not listed (See Comments/Explanation)</li> </ul>
Co	mments/Explanation:		
Ta	nk integrity – Compliance	component #2 of 5	
Co	mpliance criteria:		Verification method(s):
Sy	stem consists of a seepage pit,	☐ Yes ☒ No	☑ Probed tank(s) bottom
	sspool, drywell, or leaching pit.		☐ Examined construction records
	epage pits meeting 7080.2550 may be npliant if allowed in local ordinance.		Examined Tank Integrity Form (Attach)
Se	waga tank(s) leak below their	☐ Yes ⊠ No	Observed liquid level below operating depth
	signed operating depth.		☐ Examined empty (pumped) tanks(s)
	es, which sewage tank(s) leaks:		Probed outside tank(s) for "black soil"
	ny "yes" answer above indic stem is falling to protect gr		☐ Unable to verify (See Comments/Explanation) ☐ Other methods not listed (See Comments/Explanation)
Co	mments/Explanation:		
		•	
Ot		_ •	
LJY	her Compliance Condition		
		_	d, or appear to be structurally unsound. 🛚 Yes* 🖾 No 🔲 Unkn
a.	Other issues (electrical hazards, etc.):	to immediately and adve public health and safe	ersely impact public health or safety.   Yes* No Unkn  ty.
	*System is an imminent threat to	•	
a.	*System is an imminent threat to Explain:	•	
a.	*System is an imminent threat to		
a.	*System is an imminent threat to	water for other condition	ns as determined by inspector . ☐ Yes*  ☑ No

www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • TTY 651-282-5332 or 800-657-3864 • Available in alternative formats wg-wwists4-31b • 6/4/14

Property address: 11589 Lansing Ave N Stillw	rater, MN 55082	Inspector initials/Date:	TT   6/23/2017 (mm/dd/yyyy)	
			(IIIIII GGIYYYY)	
<ol> <li>Soil Separation — Compliance co</li> </ol>	omponent #4 of 5			
Bada udir. 1 State		Verification method(s):		
Date of installation: 1973 (mm/dd/yyyy)	_ 🔲 Unknown	Soil observation does not expire. P	Soil observation does not expire. Previous soil	
Shoreland/Wellhead protection/Food beverage lodging?	☐ Yes	observations by two independent parties are sufficient, unless site conditions have been altered or local requirements differ.		
Compliance criteria:	<del></del>	☐ Conducted soil observation(s) (A	Attech haring loge)	
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead Protection Area or not serving a food,	⊠ Yes □ No	☐ Two previous verifications (Attack		
		☐ Not applicable (Holding tank(s), no		
beverage or lodging establishment:		☐ Unable to verify (See Comments/i		
Drainfield has at least a two-foot vertical separation distance from periodically saturated soil or bedrock.		☐ Other (See Comments/Explanation		
Non-performance systems built April 1,	☐ Yes ☐ No	Comments/Explanation:		
1996, or later or for non-performance systems located in Shoreland or Wellhead		B-1		
Protection Ereas or serving a food,		0-8 sandy topsoil	10 YR 3/2	
beverage, or iodging establishment:		8-20 fine loamy sand		
Drainfield has a three-foot vertical separation distance from periodically		20-38 sandy loam		
saturated soil or bedrock.*		38-50 loamy sand	10 YR 4/3	
		50-56 loam	10 YR 4/6	
		56-72 fine/med sand	7.5 YR 4.6	
Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080, 2350 or 7080, 2400 (Advanced Inspector License required)  Drainfield meets the designed vertical separation distance from periodically saturated soil or bedrock.	☐ Yes ☐ No	A. Bottom of distribution media  B. Periodically saturated soil/bedrock  C. System separation	24-48	
		D. Required compliance separation*	24	
Any "no answer above indicates to failing to protect groundwater.  Operating Permit and Nitrogen	·	*May be reduced up to 15 percent in Ordinance.	Not applicable	
Is the system operated under an Operating		es 🖾 No If "yes", A below is requi		
Is the system required to employ a Nitroger		es 🗵 No If "yes", B below is requi		
BMP = Best Management Practice(s)		• •	:: <b>- G</b>	
•	_			
If the answer to both questions is "n	o", this section d	oes not need to be completed.		
Compliance criteria				
		1		
a. Operating Permit number: <u>n/a</u>	· · ·	□ Ves □ No		
	nts been met?	☐ Yes ☐ No		

Upgrade Requirements (Minn. Stat. § 115.55) An imminent threat to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten months of receipt of this notice or within a shorter period if required by local ordinance. If the system is failing to protect ground water, the system must be upgraded, replaced, or its use discontinued within the time required by local ordinance. If an existing system is not failing as defined in law, and has at least two feet of design soil separation, then the system need not be upgraded, repaired, replaced, or its use discontinued, notwithstanding any local ordinance that is more strict. This provision does not apply to systems in shoreland areas, Wellhead Protection Areas, or those used in connection with food, beverage, and lodging establishments as defined in law.

