

SZO Lafayette Road North St. Paul, MN 59195-4194

Compliance Inspection Form

Existing Subsurface Sewage Treatment Systems (SSTS)

Doc Type: Compliance and Enforcement

Inspection results based on Minnesota Pollution Control Agency (MPCA) requirements and attached forms – additional local requirements may also apply.	For local tracking purposes:			
Submit completed form to Local Unit of Government (LUG) and system owner within 15 days				
System Status				
System status on date (mm/dd/yyyy): 8/3/2017				
	npliant – Notice of Noncompliance and Requirements on page 3.)			
Reason(s) for noncompliance (check all applicable)				
☐ Impact on Public Health (Compliance Component #1) – Imminent threat to public health and safety ☐ Other Compliance Conditions (Compliance Component #3) – Imminent threat to public health and safety				
☐ Tank Integrity (Compliance Component #2) – Failing to protect groundw	urreal to public nealth and safety vater			
Other Compliance Conditions (Compliance Component #3) – Failing to	protect groundwater			
 ☐ Soil Separation (Compliance Component #4) – Failing to protect ground ☐ Operating permit/monitoring plan requirements (Compliance Component 				
o i de la composición dela composición de la composición dela composición de la composición de la composición de la comp	- Troncompliant			
Description of the second of t	ange: _35.029.20.23.0018			
Droporty overses Alex O.K. I. D. I. II	n for inspection:property sale			
or Owner	's phone:			
Owner's representative: Repres	sentative phone:			
	atory authority phone: 651-430-6655			
Brief system description: 1200 gallon septic tank & 1000 gallon pump tanks (esti	mated) lifting to gravity drainfield.			
Comments or recommendations:				
Certification				
I hereby certify that all the necessary information has been gathered to determine the determination of future system performance has been nor can be made due to unknown possible abuse of the system, inadequate maintenance, or future water usage.	e compliance status of this system. No own conditions during system construction,			
Inspector name:Tom Trooien Certific	eation number: 323			
	ense number: 1568			
Inspector signature:	hone number: _612-594-4496			
Necessary or Locally Required Attachments				
	er local ordinance			
www.pca.state.mn.us • 651-296-6300 • 800-657-3864 • TTY 651-282-5332 o				

	Other information (list):				
Pro	perty address: 16220 6th St N Lakelan	d, MN 55043	Inspector initials/Date: TT 8/3/2017		
			(mm/dd/yyyy)		
1.	Impact on Public Health – C	Compliance compone	ent #1 of 5		
	Compliance criteria:				
		T	Verification method(s):		
	System discharges sewage to the ground surface.	☐ Yes ☒ No	☐ Searched for surface outlet		
			☐ Searched for seeping in yard/backup in home		
	System discharges sewage to drain tile or surface waters.	☐ Yes ☒ No	☐ Excessive ponding in soil system/D-boxes		
	System causes sewage backup into	☐ Yes ☒ No	☐ Homeowner testimony (See Comments/Explanation)		
	dwelling or establishment.	Li res Mino	"Black soil" above soil dispersal system		
	Any "yes" answer above indi	icates the	System requires "emergency" pumping		
	system is an imminent threat		☐ Performed dye test		
	health and safety.		☐ Unable to verify (See Comments/Explanation)		
	Comments/Explanation:	-	☐ Other methods not listed (See Comments/Explanation)		
2	Tank Integrity Compliance	200000000000000000000000000000000000000			
	Tank Integrity - Compliance	component #2 or 5			
	Compliance criteria:		Verification method(s):		
	System consists of a seepage pit,	☐ Yes ☒ No	□ Probed tank(s) bottom		
	cesspool, drywell, or leaching pit.		☐ Examined construction records		
	Seepage pits meeting 7080.2550 may be compliant if allowed in local ordinance.		☐ Examined Tank Integrity Form (Attach)		
	Sewage tank(s) leak below their		☐ Observed liquid level below operating depth		
	designed operating depth.	☐ Yes ☒ No	☐ Examined empty (pumped) tanks(s)		
	If yes, which sewage tank(s) leaks:		☐ Probed outside tank(s) for "black soil"		
	Any "yes" answer above indi	cates the	☐ Unable to verify (See Comments/Explanation)		
	system is failing to protect groundwater.		☐ Other methods not listed (See Comments/Explanation)		
	Comments/Explanation:				
	• * * * * * * * * * * * * * * * * * * *				
3.	Other Compliance Condition	os - Complianas soma	onort #2 -6 5		
			or appear to be structurally unsound. $\hfill \square$ Yes* $\hfill \boxtimes$ No $\hfill \square$ Unknown		
	b. Other issues (electrical hazards, etc.) to immediately and adversely impact public health or safety. Yes* No Unknown *System is an imminent threat to public health and safety.				
	Explain:				
	c. System is non-protective of ground	water for other conditions	as determined by inspector . ☐ Yes* ☒ No		
	*System is failing to protect groundwater.				

Property address: 16220 6th St N Lakeland, N	Inspector initials/Date: 8/3/2017				
		(mm/dd/yyyy)			
4. Soil Separation - Compliance of	omponent #4 of 5				
Date of installation: 1980	Unknown	Verification method(s):			
Shoreland/Wellhead protection/Food beverage lodging?	☐ Yes ☒ No	Soil observation does not expire. Previous soil observations by two independent parties are sufficient,			
Compliance criteria:		unless site conditions have been altered or local requirements differ.			
For systems built prior to April 1, 1996, and not located in Shoreland or Wellhead	⊠ Yes □ No	⊠ Conducted soil observation(s) (Attach boring logs)			
Protection Area or not serving a food,		☐ Two previous verifications (Attach boring logs)			
beverage or lodging establishment:		Not applicable (Holding tank(s), no drainfield)			
Drainfield has at least a two-foot vertical separation distance from periodically		☐ Unable to verify (See Comments/Explanation)			
saturated soil or bedrock.		Other (See Comments/Explanation)			
Non-performance systems built April 1, 1996, or later or for non-performance	☐ Yes ☐ No	Comments/Explanation:			
systems located in Shoreland or Wellhead		0-14 topsoil10 YR 3/3	3		
Protection Areas or serving a food, beverage, or lodging establishment:		14-44 sand10 YR 4/-	4		
Drainfield has a three-foot vertical		44-66 course sand7.5 YR 4	1/6		
separation distance from periodically saturated soil or pedrock."					
"Experimental", "Other", or "Performance" systems built under pre-2008 Rules; Type IV or V systems built under 2008 Rules (7080.	☐ Yes ☐ No	Indicate depths or elevations			
		A. Bottom of distribution media 36			
2350 or 7080.2400 (Advanced Inspector License required)		B. Periodically saturated soil/bedrock			
Drainfield meets the designed vertical					
separation distance from periodically saturated soil or pegrock.		C. System separation 30			
Any "no" answer appropriate diagrap &		D. Required compliance separation* 24			
Any "no" answer above indicates the system is failing to protect groundwater. *May be reduced up to 15 percent if allowed by Local Ordinance.					
5. Operating Permit and Nitrogen	RMD* Complia	17			
Is the system operated, under an Operating					
	6 <u>1000</u>	s 🖾 No If "yes", A below is required			
Is the system required to employ a Nitrogen BMP? Yes No If "yes", B below is required					
BMP = Best Management Practice(s) specified in the system design					
If the answer to born questions is "n	c", this section de	pes not need to be completed.			
Compliance criteria					
a. Operating Permit number: n/a					
Have the Operating Permit requireme	nts been met?	☐ Yes ☐ No			
b. Is the required nitrogen BMP in place	and properly function	ing?			
www.pca.state.mn.us - 351-296-6300 - 80	00-657-3864 • TT	Y 651-282-5332 or 800-657-3864 • Available in alternative form	ats		

wq-wwists4-315 - 6/4.14

Usgraus Requirements (Min., Stat. of 14.65) An imminent innest to public health and safety (ITPHS) must be upgraded, replaced, or its use discontinued within ten mouths of sector this notice of within a shorter period if required by local ordinance. If the system is failing to protect ground within the fire required by local ordinance. If an existing system is not thing as defined in all and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use a softened in all and has at least two feet of design soil separation, then the system need not be upgraded, replaced, or its use a softened in a sign and in the system in shoreland areas, we have a softened in a sign and softened in a sign and softened in law.

